



TACOM-TARDEC

Tech Base Plan

Supporting FCS



Committed to Excellence

Report Documentation Page		
Report Date 29May2001	Report Type N/A	Dates Covered (from... to) -
Title and Subtitle TACOM-TARDEC Tech Base Plan Supporting FCS	Contract Number	
	Grant Number	
	Program Element Number	
Author(s)	Project Number	
	Task Number	
	Work Unit Number	
Performing Organization Name(s) and Address(es) TACOM	Performing Organization Report Number	
Sponsoring/Monitoring Agency Name(s) and Address(es) NDIA (National Defense Industrial Association) 211 Wilson Blvd, STE. 400 Arlington, VA 22201-3061	Sponsor/Monitor's Acronym(s)	
	Sponsor/Monitor's Report Number(s)	
Distribution/Availability Statement Approved for public release, distribution unlimited		
Supplementary Notes Proceedings from the 2001 Vehicle Technologies Symposium - Intelligent Systems for the Objective Force, 29-31 May 2001 Sponsored by NDIA		
Abstract		
Subject Terms		
Report Classification unclassified	Classification of this page unclassified	
Classification of Abstract unclassified	Limitation of Abstract UU	
Number of Pages 24		



FCS Ground Systems Technologies



FCS
Combat Vehicle
Concepts

Roger Halle
IV.GC.1998.01

21st
CENTURY
TRUCK

Nancee Halle
IV.GC.2000.01

Laser
Protection

Doug Templeton
IV.GC.1997.02

BALLISTIC
PROTECTION

Doug Templeton
IV.GC.2000.02

Near Term
APS

Charles Acir
III.GC.2001.02

Full Spectrum
AP

Jim Soltesz
III.GC.1999.01

FCS
SIGNATURE
MANAGEMENT

Dave Thomas
III.GC.2001.01

CHPS

Eugene Danielson
IV.GC.1999.01

Ground
Propulsion
& mobility

Dan Herrera
III.GC.1996.01

FCS
Engine
Technology

Charlie Raffa
TAR-01

Water
Purification

Bob Schalewitz
IV.LG.2000.04

POL
ANALYZERS
& SENSORS

Steve Moyer
IV.LG.2000.03

TACTICAL
FUELS

Luis Villahermosa
IV.LG.2000.02

FCS
Concept Studies

Paul Wilson
III.GC.2000.03

Robotic
Follower
ATD

Bruce Brendle
III.GC.2000.04

FSCS
ATD

John Torvinen
III.GC.1997.01

WHLS

John Appel
TAR-02

CAT
ATD

Bruce Brendle
III.GC.1999.02

ADVANCED
BRIDGING

Dural Horton
IV.EN.2000.01

OBSTACLE
MARKING

Andrew Culkin
IV.EN.2000.02



Technology Areas STOs & ATDs



FSCS

III.GC.1997.01

Future Scout Cavalry System

SYSTEMS / CONCEPTS

IV.GC.1998.01

Combat Vehicle Concepts & Analysis

IV.GC.2000.01

Concepts for 21st Century Truck-Based Tactical Vehicles

III.GC.2000.03

Future Combat Systems

SURVIVABILITY

IV.GC.1997.02

Laser Protection for Ground Vehicle Vision Systems

III.GC.1999.01

Full Spectrum Active Protection (FSAP)

III.GC.2001.02

Survivability Technology Integration Program

IV.GC.2000.02

Ballistic Protection for FCS

III.GC.2001.01

Signature Management for FCS

VETRONICS

III.GC.1999.02

Crew Integration and Automation Testbed (CAT) ATD

CHASSIS / STRUCTURE

TAR-02

Warfighter / Hardware in the Loop Simulation

PROPULSION

III.GC.1996.01

Ground Propulsion and Mobility

TAR-01

FCS Engine Technology

RUNNING GEAR

IV.GC.1999.01

Combat Hybrid Power System (CHPS)

ROBOTICS

III.GC.2000.04

Robotic Follower ATD

GROUND -LOGISTICS

SUPPORT IV.LG.2000.02

Advanced Tactical Fuels & Lubricants

LOGISTICS IV.LG.2000.03

Petroleum, Oil & Lubricants (POL) Quality Analyzers & Sensors

IV.LG.2000.04

Water Purification Technology

-ENGINEER

IV.EN.2000.01


Advanced Bridging Virtual Prototyping Technology

IV.EN.2000.02

Obstacle Marking and Vehicle Guidance




Future Scout and Cavalry System ATD (TARDEC III.GC.1997.01)



* Using the Bradley M3A3 as a baseline

Program Concept Chart

Combat Vehicle Concepts and Analysis (IV.GC.1998.01)



Open, non-proprietary concept approaches for technologies, program analysis and User requirements

Pacing Technologies:

- Integration of advanced technologies into a C130 deployable platform meeting user requirements
- Realistic assessment of advanced concepts and technologies
- Depiction of concept functionality in a realistic, immersive environment
- Development of an advanced concepts Integrated Data Environment

Other STO Attributes:

- Nominate as DTO: No
- Nominate as Intl Prog: Some program data covered under US/UK IEA
- Expected MNS/ORD Date: Draft FCS MNS
- Manufacturability/Producibility: Considered in concept design and IDE

Affordability Metrics: Affordability metrics from programs impact the concept design and technology selection

Technology Protection Plan

Is it required? Yes

Modeling and Simulation


- Products, Way Ahead: CAD Concepts, Performance and Cost Analysis, Operational Effectiveness Analysis
- Interface/Integration: System Concepts/IDE
- Interface with TRAC: Coordination of CASTFOREM Analysis and thru FCS IPT process

Program Concept Chart

Concepts for 21st Century Truck-based Tactical Vehicles

(IV.GC.2000.01)

Objective: Using virtual prototyping, modeling, and simulation in an Integrated Data Environment (IDE) demonstrate the technical feasibility and operational potential of advanced commercial and military technologies with application to new and existing tactical vehicles and describe the capabilities of potential future tactical vehicles.




Pacing Technologies:

Integration of advanced technologies into a vehicle platform meeting the operational and performance requirements

- Status of development of advanced technologies necessary to meet the performance goals of future logistic support platforms

Depiction of concept functionality in a realistic immersive environment

- Proliferation of tools necessary to fully implement the Integrated Data Environment



Warfighter Payoffs:

- The Objective Force requires a major change in tactics for support of the FCS. Using the IDE, this STO will determine the effectiveness of existing tactical vehicles, upgrades or new-start vehicle programs to provide that support, assist in determining requirements and provide solutions to any shortfalls in capabilities.

Leap ahead innovation in determining User requirements and integrating advanced technologies to revolutionize Objective Force logistic support




Future Combat Systems

(III.GC.2000.03)



Objective: Develop and demonstrate lightweight, multi-mission capable, overwhelmingly lethal, yet strategically deployable, self-sustaining and survivable system of systems which meets the requirements of the Army for 2010 and beyond.

The Transformation... Network Centric Distributed Force



Pacing Technologies:

Robotics - teleoperated to autonomous

Unmanned aerial and ground vehicles

Sensors for detection, ID, targeting, Battlefield Damage Assessment

Lethality - Advanced cannon and missile systems, directed energy, non-lethals

Warfighting Payoffs:

- Meet Army requirements for 2010 and beyond
- Strategic Deployability with C130 Assets
- Dominant Overmatch against all 21st Century Threats
- Lower sustainment cost

Laser Protection for Ground Vehicle Vision Systems TARDEC/NSC/ARL IV.GC.1997.02


Initiative:

Prevent Blindness to Combat Vehicle Crewmen From Laser Weapons



Performance:

- ✓ Protects retina from damage for most engagement scenarios
- ✓ Significant reduction of threat effective range

Start TRL: 2



End TRL: 5



Transition/Application:

- Application appropriate to all military day optical systems
- Further development and cost reduction is required

Payoff:






- - Survivability

Full Spectrum Active Protection

(STO III.GC.1999.01)

Objective:

To deliver a FSAP system design which provides hemispherical protection for light, medium and heavy ground combat vehicles against all large caliber threats including tube launched KE and HEAT



Technologies:


- CM's focused on combined CE & KE defeat
 - Blast/Frag
 - Contact Fracture
 - Multiple Explosively Formed Penetrators (MEFP)
- Optimal insertion through CDA

Warfighter Payoffs:

- Minimum Wt./Deployability
- Cost Effective
- Crew Protection
- Integrable on FCS & Existing Fleet

INTEGRATED ARMY ACTIVE PROTECTION SYSTEM ATD


STO III.GC.2001.02





Ballistic Protection for FCS

(IV.GC.2000.02)



Objective: Protection against medium threats and residual debris in light (C-130 transportable) ground combat vehicles.

Pacing Technologies:

- Compact embedded sensors
- Responsive, robust defeat mechanisms
- Compact Energy Storage
- Affordable ceramics

Other STO Attributes:

- DTO: part of GV.13
- Intl Prog: no
- Expected MNS/ORD Date:
- Manufacturability/Producibility
 - Low cost ceramics

Affordability Metrics

FCS Unit Cost (Normalized to current) - 1.0

Technology Protection Plan


Is it required? Yes Date: in process

Modeling and Simulation

- Improved material models for use in CTH, EPIC
- Cost vs. design models
- Avail. To PM, FCS in FY04

Signature Management for FCS

(III.GC.2001.01)



Pacing Technologies:

- **Advanced materials & components**
 - Reduce cost & weight per vehicle.
 - Improve treatment durability & performance.
- **Signature modeling & characterization**
 - Predict performance of advanced treatments.
 - Trade off performance features in virtual space.
- **Vehicle optimization using virtual tools**
 - Virtual Integration of advanced treatments.
 - Determine optimal FCS configurations.

Other STO Attributes:

- Provide virtual tools required for EMD phase.
- Utilize Tech Base & Contractor technologies.
- Expected MNS/ORD Date: FY05
- Manufacturability/Producibility of advanced materials will be developed during the STO.

Affordability Metrics

\$200K per vehicle cost goal by end FY05


Technology Protection Plan

Is it required? Yes Date: EMD FY06

Modeling and Simulation

- Integrate vehicle design & signature models.
- Interface/Integration of vehicle design geometries.
- Develop force on force scenarios with TRAC.

Crew integration and Automation Testbed (CAT) ATD (STO III.GC.1999.02)



Concept Vehicle Shown with Onboard Safety Driver

Demonstrate the crew interfaces, automation, and integration technologies required to operate and support Future Combat Systems

Pacing Technologies:

Decision Aids

Soldier-Machine
Interface

Embedded Simulation

Electronics
Architecture

Warfighter Payoffs:

- *Enhanced performance, and survivability of the crew.*
- *Potential for reduced crew size (smaller, more transportable vehicles with lower logistics).*
- *Mission rehearsal capability*

Affordability Metrics

500k Reusable SLOC Generated


Technology Protection Plan

Not Required.

Modeling and Simulation

- April 2003 System Integration Laboratory
- Virtual Experiments of CAT Technologies

Warfighter/Hardware in the Loop Simulation (WHLS) (TAR-02)



Pacing Technologies:

Subsystem Models
High Resolution Terrain, Soil, and Obstacle Models

FCS World Model/
Distributed Simulation
Crew Cab Enhancements

Affordability Metrics

Technology Protection Plan

Is it required? No Date: _____

Modeling and Simulation

- STO will result in Virtual FCS platforms
- Simulation Support Plan will be developed




Ground Propulsion and Mobility (III.GC.1996.01)

Initiative:


Explore and Develop Emerging Ground Vehicle Mobility Advances for future Combat and Tactile Vehicle Fleets through Cooperative Agency Electric Drive Research and High Performance Track and Suspension Technology Developments.

Performance:

- ✓ Hybrid Electric Drive Advanced Technology Demonstrator
- ✓ Band Track
- ✓ In-Arm External Semi-Active Hydropneumatic Suspension
- ✓ Electromechanical Suspension



**Start: TRL 3
End: TRL 7**




Transition/Application:

- ✓ Future Combat System
- ✓ Future Scout and Calvary System
- ✓ Crusader

Payoff:

- Light forces more survivable and tactically mobile.
- Reduce deployed logistics footprint.

TAR-01 FCS ENGINE TECHNOLOGY



Pacing Technologies:

- High-pressure, common rail, flexible control fuel injection systems
- High temperature coolants and variable flow coolant pump
- Synthetic lubricants and wear coatings
- Ceramic monolithic and thermal barrier coating materials and high-temp metal alloys

Other STO Attributes:

- DTO GV.04 Advanced Ground Vehicle Mobility Systems
- Intl. Prog - Front End is Part of US/Japan Cooperative Research Program
- Manufacturability/Producibility - To be part of new contract. Initial producibility demonstrated in cooperative effort.

Affordability Metrics - To be part of new contract. Target less than \$75/HP

Technology Protection Plan : OPSEC review procedure in place for US/Japan Cooperative Research since OCT 95.

Modeling and Simulation: FEM and Computational Fluid Dynamics Model used in conjunction with fuel injection/combustion analysis and ceramic component design. No models will be included in deliverables.

COMBAT HYBRID POWER SYSTEMS (CHPS) (STO: IV.GC.1999.01)

While the commercial automotive sector is making significant progress in advanced mobility technologies, military mobility requirements remain unique.



Combat Hybrid Power System (CHPS)
Notional Concept Vehicle

≠



Honda *Insight*, Hybrid-Electric



Toyota *Prius*, Hybrid-Electric

Other STO Attributes:

- CHPS DTO is GV.16

Pacing Technologies

- | |
|---|
| <ul style="list-style-type: none">• Pulse Forming Network (PFN)• Li-ion Batteries |
| <ul style="list-style-type: none">• SiC switching devices• Multi-GW Multi-MJ Flywheel |
| <ul style="list-style-type: none">• Ultra-capacitors• Hi power density traction motor |
| <ul style="list-style-type: none">• Differential torque steer• Shock tolerant wheel motors |

Technology Protection Plan

CHPS is unclassified

Modeling and Simulation

Developed System Integration Model

- drive topology
- pulse loads
- power management
- fuel economy
- component life and reliability

Robotic Follower ATD

(STO III.GC.2000.04)



***Demonstrate Robotics
Technology Required
for Early Insertion***

Solution Approach

- *Manned leader "proofs" path to reduce perception & intelligence requirements*
- *Rapidly mature & integrate perception technology to enable higher speed & enhanced decision making capabilities*
- *Successively demonstrate maturing capability for FCS*

Pacing Technologies:

Semiautonomous
Perception

Soldier-Robot
Interface

Intelligent Situational
Behavior

Leader-Follower
Technology

Affordability Metrics

Total Sensor Cost <\$370k

Technology Protection Plan

Not Required.

Modeling and Simulation

- April 2003 M&S Demonstration of end ATD Exit Criteria
- Integrates mobility, sensor and terrain models



IV.LG.2000.02



Advanced Tactical Fuels and

TARDEC

Enhanced Lubricants

ADDITIVE
ENHANCER



SYNTHETIC
PRODUCTS



REFINERY
PROCESS



FOR EXISTING,
FUTURE, &
AAN SYSTEMS

ENVIRONMENTALLY
RESPONSIVE
PRODUCTS


INCREASE
FUEL
EFFICIENCY

REDUCE
MAINTENANCE
COSTS

INCREASE
OIL DRAIN
INTERVAL

INCREASE
OPERATIONAL
RANGE

ENHANCE
ENERGY
CONTENT



MAY, 99

Committed to Excellence

19

POL Analyzer and Sensors

(IV.LG.2000.03)

Objective:

- Investigate innovative applications of current and developing petroleum analysis technologies
- Leverage developmental work by DOE national labs

Pacing Technologies:

- Transducers/sensors and MEMS
- Neural Network and Chemometric Software Development Tools
- Standard Diagnostic Information Architecture and Interfaces



Warfighter Payoffs:


- Real Time Analysis
- Detect Impending Equipment Failures
- Unit Level Control of AOAP; Less Admin
- Reduced Logistics Footprint
- Sample Only As Needed

Eliminate 80%or More Oil Samples

Program Concept Chart

Water Purification Technology

(IV.LG.2000.04)



Pacing Technologies

- Counter-Current Mesochannel Heat Exchanger
- Surface Modified Hydrophilic Activated Carbon
- Flow Through Capacitor
- Advanced Reverse Osmosis
- Forward Osmosis
- Electrolytic Disinfection

Other STO Attributes:

- Nominate as DTO: Yes
- Nominate as Intl Prog: No
- Expected MNS/ORD Date:
 - Water Individual Purification System, ORD, Apr 93
 - Onboard Water Recovery Unit, MNS, Aug 91
 - Water Generation/Sustainment Component in FCS and other MNS/ORDS
- Manufacturability/Producibility: Trade-off Analysis On-going

Affordability Metrics

Cost Versus Materials and Functions On-going Analysis

Technology Protection Plan

Is it required? No

Modeling and Simulation

- Computational Fluid Dynamics Modeling
- Heat Transfer/Pressure Drop Modeling
- Systems Level Modeling & Analysis


Virtual Prototyping of Advanced Bridging Technologies

(IV.EN.2000.01)


Longer Bridges from Multiple Shorter Bridges



Counterbalance Weight Reduction



New Designs




Pacing Technologies:

Database of composite bridge performance:
Composite Army Bridge

Designs of effective new launching techniques

Designs based on new materials (composites & exotic metallics)

Database of effective weight reduction methodologies



Synthesize activities, refine for applicability to future requirements

Other ATD Attributes:

- Nominate as DTO: NA
- Nominate as Intl Prog: NA
- Expected MNS/ORD Date: NA
- Manufacturability/Producibility: NA

Technology Protection Plan


Is it required? No Date: NA

Modeling and Simulation

- Products, Way Ahead: No new software
- Interface/Integration: None
- Interface with TRAC: [?]

OBSTACLE MARKING AND VEHICLE GUIDANCE (STO#: IV.EN.2000.02)

Objective: *Provide a system composed of virtual and smart markers that communicate with a vehicle based display enabling a driver to successfully navigate through or around obstacles thus providing the maneuver support the same inherent mobility traits as the maneuver force.*



Pacing Technologies:

SMART MARKER:

- Optical Communication
- Obscurants/Range
- Integration with Navigation System

NAVIGATION SYSTEM

- Augmented Reality
- Critical Navigation +/-17cm
- All Weather Operation
- Communication with Smart Markers

Warfighter Payoffs:

- Sustain Freedom of Maneuver
- Enhanced Situational Awareness
- Rapid Collection, Processing, and Dissemination of Topographic Information
- Enhanced Battlespace Visualization

Summary

- *The path to Army Transformation demands responsive & deployable systems*
- ***TACOM S&T Focus** is on smaller, lighter, and smarter Munitions & Vehicles*
- *We are doing things that have never been done before*

